

Safety Data Sheet

AMERICAN BILTRITE AD-535 PART A

Safety Data Sheet dated: 5/26/2016 - version 4

Date of first edition: 5/13/2015

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: AMERICAN BILTRITE AD-535 PART A

Recommended use of the chemical and restrictions on use

Recommended use: Epoxy adhesive

Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: American Biltrite

200 Bank Street

J1H 4K3 - Sherbrooke - Quebec - CAN

Phone: 1-800-479-0190

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300

(Canada) CANUTEC 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Skin Irrit. 2	Causes skin irritation.
Eye Irrit. 2A	Causes serious eye irritation.
Skin Sens. 1A	May cause an allergic skin reaction.
Aquatic Acute 3	Harmful to aquatic life.
Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.

Label elements

Symbols:



Warning

Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Code	Description
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260.1	Do not breathe mist/vapours/spray.
P264.2	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352.A	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

P314	Get medical advice/attention if you feel unwell.
P321.A	Specific treatment (see supplementary instructions on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501.A	Dispose of contents/container in accordance with applicable regulations.

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Quantity	Name	Ident. Numb.	Classification
25-50 %	Bisphenol A epoxy resin	CAS:25085-99-8	Skin Sens. 1B; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Chronic 2, H411
10-25 %	(Chloromethyl)oxirane, 4, 4'-(1-methylethylidene)bisphenol copolymer	CAS:25068-38-6 EC:500-033-5 Index:603-074-00-8	Eye Irrit. 2A, H319; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 2, H401; Aquatic Chronic 2, H411
5-10 %	Alkyl epoxy resin	CAS:68609-97-2	Skin Irrit. 2, H315; Skin Sens. 1, H317
2.5-5 %	Dipropylene glycol dibenzoate	CAS:27138-31-4	Aquatic Chronic 3, H412
1-2.5 %	Caster oil glycidyl ether	CAS:74398-71-3	Skin Irrit. 2, H315; Skin Sens. 1A, H317
1-2.5 %	Silica Sand	CAS:14808-60-7	Carc. 1A, H350; STOT RE 1, H372

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

- Immediately take off all contaminated clothing.
- Obtain medical attention if skin related symptoms persist.
- Remove contaminated clothing immediately and dispose of safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

- Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

- Eye irritation
- Eye damages
- Skin Irritation
- Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m ³	Long Term ppm	Short Term mg/m ³	Short Term ppm	Behaviour	Note
Silica Sand	ACGIH			0,025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;

Appropriate engineering controls: N.A.

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: Paste beige

Odour: N.A.
Odour threshold: N.A.
pH: N.A.
Melting point / freezing point: N.A.
Initial boiling point and boiling range: N.A.
Flash point: >100 °C (212 °F)
Evaporation rate: N.A.
Upper/lower flammability or explosive limits: N.A.
Vapour density: N.A.
Vapour pressure: N.A.
Relative density: 1.47 g/cm³
Solubility in water: Insoluble
Solubility in oil: N.A.
Partition coefficient (n-octanol/water): N.A.
Auto-ignition temperature: N.A.
Decomposition temperature: N.A.
Viscosity: N.A.
Explosive properties: N.A.
Oxidizing properties: N.A.
Solid/gas flammability: N.A.

Other information

Substance groups relevant properties: N.A.
Miscibility: N.A.
Fat Solubility: N.A.
Conductivity: N.A.

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not Available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

(Chloromethyl)oxirane, 4,
4'-(1-methylethylidene)bisphenol
copolymer a) acute toxicity LD50 Oral Rat 11400mg/kg

Silica Sand a) acute toxicity LD50 Oral Rat = 500mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

i) STOT-repeated exposure

j) aspiration hazard

Substance(s) listed on the IARC Monographs:

Silica Sand

Group 1

Substance(s) listed as OSHA Carcinogen(s):

Silica Sand

Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
1-2.5 %	Silica Sand	CAS: 14808-60-7	LC50 a) Aquatic acute toxicity carp> 10000,00000mg/L 72h

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

14. TRANSPORT INFORMATION

UN number

ADR-UN number: 3082

DOT-UN Number: UN3082

IATA-Un number: 3082

IMDG-Un number: 3082

UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin - Dipropylene glycol dibenzoate)

DOT-Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A epoxy resin - Dipropylene glycol dibenzoate)

IATA-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin - Dipropylene glycol dibenzoate)

IMDG-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin - Dipropylene glycol dibenzoate)

Transport hazard class(es)

ADR-Class: 9

DOT-Hazard Class: 9

IATA-Class: 9

IMDG-Class: 9

Packing group

ADR-Packing Group: III

DOT-Packing group: III

IATA-Packing group: III

IMDG-Packing group: III

Environmental hazards

Marine pollutant: Yes
 Environmental Pollutant: N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): 8, 146, 173, 335, IB3, T4, TP1
 DOT-Label(s): 9
 DOT-Symbol: N/A
 DOT-Cargo Aircraft: N/A
 DOT-Passenger Aircraft: N/A
 DOT-Bulk: N/A
 DOT-Non-Bulk: N/A

Road and Rail (ADR-RID):

ADR exempt: No
 ADR-Label: 9
 ADR-Hazard identification number: 90
 ADR-Tunnel Restriction Code: 3 (E)

Air (IATA):

IATA-Passenger Aircraft: 964
 IATA-Cargo Aircraft: 964
 IATA-Label: 9
 IATA-Subrisk: -
 IATA-Erg: 9L
 IATA-Special Provisions: A97 A158

Sea (IMDG):

IMDG-Stowage Code: Category A
 IMDG-Stowage Note: -
 IMDG-Subrisk: -
 IMDG-Special Provisions: 274 335
 IMDG-Page: N/A
 IMDG-Label: 9
 IMDG-EMS: F-A, S-F
 IMDG-MFAG: N/A

15. REGULATORY INFORMATION**USA - Federal regulations****TSCA - Toxic Substances Control Act****TSCA inventory:**

All the components are listed on the TSCA inventory

TSCA listed substances:

Bisphenol A epoxy resin	is listed in TSCA	Section 8b
(Chloromethyl)oxirane, 4, 4'-(1-methylethylidene)bisphenol copolymer	is listed in TSCA	Section 8b
Alkyl epoxy resin	is listed in TSCA	Section 8b
Dipropylene glycol dibenzoate	is listed in TSCA	Section 8b
Caster oil glycidyl ether	is listed in TSCA	Section 8b
Silica Sand	is listed in TSCA	Section 8b

SARA - Superfund Amendments and Reauthorization Act**Section 302 - Extremely Hazardous Substances:**


no substances listed

Section 304 - Hazardous substances:

no substances listed

Section 313 - Toxic chemical list:

Additional classification information



HMIS Health: 1 = Slight

HMIS Health - Is health hazard chronic?: Yes

HMIS Flammability: 1 = Combustible if heated

HMIS Reactivity: 0 = Minimal

HMIS P.P.E.: Safety glasses, gloves

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal

NFPA Special Risk: NONE

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 12. ECOLOGICAL INFORMATION
- 16. OTHER INFORMATION

Safety Data Sheet

AMERICAN BILTRITE AD-535 PART B

Safety Data Sheet dated: 5/26/2016 - version 4

Date of first edition: 5/26/2015

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: AMERICAN BILTRITE AD-535 PART B

Recommended use of the chemical and restrictions on use

Recommended use: Hardener for epoxy products

Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: American Biltrite

200 Bank Street

J1H 4K3 - Sherbrooke - Quebec - CAN

Phone: 1-800-479-0190

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300

(Canada) CANUTEC 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Acute Tox. 4	Harmful if inhaled.
Skin Corr. 1A	Causes severe skin burns and eye damage.
Eye Dam. 1	Causes serious eye damage.
Skin Sens. 1A	May cause an allergic skin reaction.
Muta. 2	Suspected of causing genetic defects if inhaled.
Repr. 1B	May damage fertility or the unborn child if inhaled.
STOT SE 2	May cause damage to organs if inhaled.
Aquatic Acute 3	Harmful to aquatic life.
Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.

Label elements

Symbols:



Danger

Code	Description
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H341.A	Suspected of causing genetic defects if inhaled.
H360.A	May damage fertility or the unborn child if inhaled.
H371.A	May cause damage to organs if inhaled.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Code	Description
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260.1	Do not breathe the mist/vapours/spray.

P264.2	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352.A	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311.B	IF exposed or concerned: Call a doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P310.B	Immediately call a doctor.
P321.A	Specific treatment (see supplementary instructions on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501.A	Dispose of contents/container in accordance with applicable regulations.

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Quantity	Name	Ident. Numb.	Classification
25-50 %	Amides, from methyl epoxyhydroxyoctadecanoate, tetraethylenepentamine and vegetable-oil fatty acids	CAS:68443-08-3	Skin Corr. 1A, H314; Eye Dam. 1, H318; STOT SE 3, H335
10-25 %	2,4,6-Tri(dimethylaminomethyl)phenol	CAS:90-72-2	Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Chronic 3, H412
10-25 %	Diisopropylnaphthalene	CAS:38640-62-9	Asp. Tox. 1, H304; Aquatic Chronic 1, H410
5-10 %	Bisphenol A	CAS:80-05-7	Repr. 2, H335; STOT SE 3, H318; Eye Dam. 1, H317; Skin Sens. 1, H317
5-10 %	Aminoethylpiperazine	CAS:140-31-8	Acute Tox. 3, H311; Skin Corr. 1B, H314; Skin Sens. 1, H317; Eye Dam. 1, H318; Repr. 1B, H360
2.5-5 %	Diethylene triamine	CAS:111-40-0	Skin Corr. 1B, H314; Acute Tox. 4, H312; Eye Dam. 1, H318; Skin Sens. 1B, H317; Repr. 2, H361; STOT SE 3, H335; Aquatic Chronic 3, H412; Acute Tox. 4, H302; Acute Tox. 2, H330
2.5-5 %	Bis[(dimethylamino)methyl]phenol	CAS:71074-89-0	Skin Corr. 1B, H314
1-2.5 %	4-Nonylphenol, branched	CAS:84852-15-3 EC:284-325-5 Index:601-053-00-8	Repr. 2, H361; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Dam. 1, H318; Muta. 2, H341; STOT SE 2, H371
1-2.5 %	Benzyl dimethylamine	CAS:103-83-3	Flam. Liq. 3, H226; Skin Corr. 1B, H314; Aquatic Chronic 3, H412; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

- Immediately take off all contaminated clothing.
- Obtain medical attention if skin related symptoms persist.
- Remove contaminated clothing immediately and dispose of safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
Bisphenol A	EU			10				Indicative	
Diethylene triamine	ACGIH				1				Skin - potential significant contribution to overall exposure by the cutaneous route; eye and upper respiratory tract irritation;

Appropriate engineering controls: N.A.

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: amber

Odour: like: Amines

Odour threshold: N.A.

pH: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: >100 °C (212 °F)

Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: 9.80 g/cm³

Solubility in water: Insoluble

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

Solid/gas flammability: N.A.

Other information

Substance groups relevant properties: N.A.

Miscibility: N.A.

Fat Solubility: N.A.

Conductivity: N.A.

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not Available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

2,4,6-Tri(dimethylaminomethyl)phenol	a) acute toxicity	LD50 Skin Rat = 1280mg/kg LD50 Oral Rat = 1000mg/kg
DiisopropylNaphthalene	a) acute toxicity	LD50 Skin Rat > 4500mg/kg LC50 Inhalation Rat > 5,64000mg/l 4h LD50 Oral Rat = 3900mg/kg
Bisphenol A	a) acute toxicity	LD50 Skin Rabbit = 3000,00000mg/kg LD50 Oral Rat = 3200mg/kg LD50 Skin Rabbit = 3ml/kg
Aminoethylpiperazine	a) acute toxicity	LD50 Skin Rabbit = 880µL/kg LD50 Oral Rat = 2140mg/kg LD50 Oral Rat = 2140µL/kg
Diethylene triamine	a) acute toxicity	LD50 Skin Rabbit = 672mg/kg LD50 Oral Rat = 819mg/kg
4-Nonylphenol, branched	a) acute toxicity	LD50 Oral Rat 1300mg/kg LD50 Skin Rabbit > 2000mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
10-25 %	DiisopropylNaphthalene	CAS: 38640-62-9	LC50 a) Aquatic acute toxicity Fish Cyprinus carpio> 1000mg/L 96h LC50 a) Aquatic acute toxicity Fish Oryzias latipes> 1000mg/L 96h
5-10 %	Bisphenol A	CAS: 80-05-7	LC50 a) Aquatic acute toxicity Fish Pimephales promelas3,60000mg/L 96h EPA LC50 a) Aquatic acute toxicity Fish Oncorhynchus mykiss= 4mg/L 96h IUCLID LC50 a) Aquatic acute toxicity Fish Brachydanio rerio= 9,90000mg/L 96h IUCLID EC50 a) Aquatic acute toxicity Daphnia Daphnia magna= 10,20000mg/L 48h IUCLID EC50 a) Aquatic acute toxicity Algae Pseudokirchneriella subcapitata= 2,50000mg/L 96h IUCLID EC50 a) Aquatic acute toxicity Daphnia Daphnia Magna= 3,90000mg/L 48h
5-10 %	Aminoethylpiperazine	CAS: 140-31-8	LC50 a) Aquatic acute toxicity Fish Pimephales promelas1950mg/L 96h EPA LC50 a) Aquatic acute toxicity Fish Poecilia reticulata> 1000mg/L 96h IUCLID LC50 a) Aquatic acute toxicity Fish Oncorhynchus mykiss>= 100mg/L 96h IUCLID EC50 a) Aquatic acute toxicity Daphnia Daphnia magna= 32mg/L 48h IUCLID EC50 a) Aquatic acute toxicity Algae Pseudokirchneriella subcapitata= 495mg/L 72h IUCLID
2.5-5 %	Diethylene triamine	CAS: 111-40-0	LC50 a) Aquatic acute toxicity Fish Poecilia reticulata= 248mg/L 96h IUCLID EC50 a) Aquatic acute toxicity Daphnia Daphnia magna= 16mg/L 48h IUCLID EC50 a) Aquatic acute toxicity Algae Pseudokirchneriella subcapitata= 1164mg/L 72h IUCLID EC50 a) Aquatic acute toxicity Algae Pseudokirchneriella subcapitata= 345,60000mg/L 96h EPA EC50 a) Aquatic acute toxicity Algae Desmodesmus subspicatus= 592mg/L 96h IUCLID LC50 a) Aquatic acute toxicity Fish Leuciscus idus= 430,00000mg/L 96h EC50 a) Aquatic acute toxicity Daphnia Daphnia magna= 37,00000mg/L 24h EC50 a) Aquatic acute toxicity Daphnia Daphnia magna= 16,00000mg/L 48h
1-2.5 %	4-Nonylphenol, branched	CAS: 84852-15-3 - EINECS: 284-325-5 - 67-548-EC: 601-053-00-8	LC50 Fish Pimephales promelas0,135mg/L 96h „Holcombe, G.W., Phipps, G.L., Knuth, M.L. and Felhaber, T. (1984) Environ. Pollut. (Series A) 35, 367-38 LC100 Fish Leuciscus idus1,1mg/L 48h „Huels study, 1988 (unpublished) LC50 Fish Leuciscus idus0,95mg/L 48h „Huels study, 1988 (unpublished) LOEC Fish Pimephales promelas14µg/L 33d „Chemical Manufacturers Association (1991) Two environmental effects 4-Nonylphenol final reports 1. Chronic toxicity of Nonylphenol to the Mysid, Mysidopsis bahia: EnviroSystems Study Number 8977-CMA 2. Early life stage toxicity of Nonylphenol to the fat NOEC Fish Pimephales promelas7,4µg/L 33d „Chemical Manufacturers Association (1991) Two environmental effects 4-Nonylphenol final reports 1. Chronic toxicity of Nonylphenol to the Mysid, Mysidopsis bahia: EnviroSystems Study Number 8977-CMA 2. Early life stage toxicity of Nonylphenol to the fat EC100 Daphnia Daphnia magna> 400µg/L 48h „Huels report No. DK-522, 1992 (unpublished) EC0 Daphnia Daphnia magna< 100µg/L 48h „Huels report No. DK-522, 1992 (unpublished) EC50 Daphnia Daphnia magna140µg/L 48h „Huels report No. DK-522, 1992 (unpublished) LOEC Daphnia Daphnia magna> 100µg/L 21d „Huels report No. DL-143, 1992 (unpublished) NOEC Daphnia Daphnia magna0,024mg/L 21d ICI PLC (1991) Nonyl Phenol: Chronic Toxicity to Daphnia Magna Report No: BLS1319/B (Interim) BL4176/B (Final) EC90 Algae Scenedesmus subspicatus (Desmodesmus subspicatus)3,2mg/L 72h Huels study (unpublished) EC10 Algae Scenedesmus subspicatus (Desmodesmus subspicatus)0,5mg/L 72h Huels study (unpublished) EC50 Algae Scenedesmus subspicatus (Desmodesmus subspicatus)1,3mg/L 72h Huels study (unpublished) LC50 a) Aquatic acute toxicity Fish Pimephales promelas= 135mg/L 96h IUCLID LC50 a) Aquatic acute toxicity Fish Lepomis macrochirus= 1351mg/L 96h EPA EC50 a) Aquatic acute toxicity Daphnia Daphnia magna= 14mg/L 48h IUCLID EC50 a) Aquatic acute toxicity Algae Pseudokirchneriella subcapitata36mg/L 96h EPA EC50 a) Aquatic acute toxicity Algae Pseudokirchneriella subcapitata16mg/L 72h EPA EC50 a) Aquatic acute toxicity Algae Desmodesmus subspicatus= 13mg/L 72h IUCLID
1-2.5 %	Benzyl dimethylamine	CAS: 103-83-3	LC50 a) Aquatic acute toxicity Fish Pimephales promelas358mg/L 96h EPA

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods**

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

14. TRANSPORT INFORMATION**UN number**

ADR-UN number: 1760

DOT-UN Number: UN1760

IATA-Un number: 1760

IMDG-Un number: 1760

UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, N.O.S. (Amides, from methyl epoxyhydroxyoctadecanoate, tetraethylenepentamine and vegetable-oil fatty acids - 2,4,6-Tri(dimethylaminomethyl)phenol)

DOT-Proper Shipping Name: Corrosive liquids, n.o.s. (Amides, from methyl epoxyhydroxyoctadecanoate, tetraethylenepentamine and vegetable-oil fatty acids - 2,4,6-Tri(dimethylaminomethyl)phenol)

IATA-Technical name: CORROSIVE LIQUID, N.O.S. (Amides, from methyl epoxyhydroxyoctadecanoate, tetraethylenepentamine and vegetable-oil fatty acids - 2,4,6-Tri(dimethylaminomethyl)phenol)

IMDG-Technical name: CORROSIVE LIQUID, N.O.S. (Amides, from methyl epoxyhydroxyoctadecanoate, tetraethylenepentamine and vegetable-oil fatty acids - 2,4,6-Tri(dimethylaminomethyl)phenol)

Transport hazard class(es)

ADR-Class: 8

DOT-Hazard Class: 8

IATA-Class: 8

IMDG-Class: 8

Packing group

ADR-Packing Group: III

DOT-Packing group: III

IATA-Packing group: III

IMDG-Packing group: III

Environmental hazards

Marine pollutant: Yes

Environmental Pollutant: N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): IB3, T7, TP1, TP28

DOT-Label(s): 8

DOT-Symbol: N/A

DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A

DOT-Non-Bulk: N/A

Road and Rail (ADR-RID):

ADR-Label: 8

ADR-Hazard identification number: 80

ADR-Tunnel Restriction Code: 3 (E)

Air (IATA):

IATA-Passenger Aircraft: 852

IATA-Cargo Aircraft: 856

IATA-Label: 8

IATA-Subrisk: -

IATA-Erg: 8L

IATA-Special Provisions: A3 A803

Sea (IMDG):

IMDG-Stowage Code: Category A

IMDG-Stowage Note: Clear of living quarters.

IMDG-Subrisk: -

IMDG-Special Provisions: 223 274

IMDG-Page: N/A

IMDG-Label: N/A

IMDG-EMS: F-A, S-B

IMDG-MFAG: N/A

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

Amides, from methyl epoxyhydroxyoctadecanoate, tetraethylenepentamine and vegetable-oil fatty acids	is listed in TSCA	Section 8b
2,4,6-Tri(dimethylaminomethyl)phenol	is listed in TSCA	Section 8b
Diisopropyl-naphthalene	is listed in TSCA	Section 8b
Bisphenol A	is listed in TSCA	Section 8b
Aminoethylpiperazine	is listed in TSCA	Section 8b
Diethylene triamine	is listed in TSCA	Section 8b
4-Nonylphenol, branched	is listed in TSCA	Section 8b, Section 8a - PAIR
Benzyl-dimethylamine	is listed in TSCA	Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

no substances listed

Section 304 - Hazardous substances:

no substances listed

Section 313 - Toxic chemical list:

Bisphenol A

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

no substances listed

CAA - Clean Air Act

CAA listed substances:

Bisphenol A	is listed in CAA	Section 112(b) - HON
-------------	------------------	----------------------

CWA - Clean Water Act

CWA listed substances:

no substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

no substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Bisphenol A
Aminoethylpiperazine
Diethylene triamine

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Bisphenol A
Aminoethylpiperazine
Diethylene triamine

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Bisphenol A
Aminoethylpiperazine
Diethylene triamine
Benzyltrimethylamine

Canada- Federal regulations

DSL - Domestic Substances List

DSL Inventory:

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

NDSL Inventory:

no substances listed

NPRI - National Pollutant Release Inventory

Substances listed in NPRI:

no substances listed


16. OTHER INFORMATION

Code	Description
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects .
H341.A	Suspected of causing genetic defects if inhaled.
H360	May damage fertility or the unborn child <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H360.A	May damage fertility or the unborn child if inhaled.
H361	Suspected of damaging fertility or the unborn child <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H371	May cause damage to organs <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H371.A	May cause damage to organs if inhaled.
H400	Very toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet dated: 5/26/2016 - version 4

Product code: 2921

Additional classification information



HMIS Health: 3 = Serious
HMIS Health - Is health hazard chronic?: Yes
HMIS Flammability: 1 = Combustible if heated
HMIS Reactivity: 0 = Minimal
HMIS P.P.E.: Safety glasses, gloves, chemical apron
NFPA Health: 2 = Moderate
NFPA Flammability: 1 = Combustible if heated
NFPA Reactivity: 0 = Minimal
NFPA Special Risk: N.A.

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
IMDG: International Maritime Code for Dangerous Goods.
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
CLP: Classification, Labeling, Packaging.
EINECS: European Inventory of Existing Commercial Chemical Substances.
INCI: International Nomenclature of Cosmetic Ingredients.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
GefStoffVO: Ordinance on Hazardous Substances, Germany.
LC50: Lethal concentration, for 50 percent of test population.
LD50: Lethal dose, for 50 percent of test population.
DNEL: Derived No Effect Level.
PNEC: Predicted No Effect Concentration.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
WGK: German Water Hazard Class.
KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 16. OTHER INFORMATION