

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# Expanko Resilient Flooring

1000 E. Park Ave., Maple Shade, NJ, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to  $0.5 \text{ mg/m}^3$  (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-01889

Valid from: October 1, 2022 to September 30, 2023

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI National Accreditation Board  
ACCREDITED

ISO/IEC 17065  
PRODUCT CERTIFICATION  
BODY



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Executive Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

## **Certification Addendum**

# **Expanko Resilient Flooring**

Certification: Registration # SCS-FS-01889 | Valid from: October 1, 2022 to September 30, 2023

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum **FloorScore®**

Conformance: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: **Rubber Flooring:**

Reztec: Artic, Ash, Autumn, Avalanche, Billie, BlueGrass, Burnt Sienna, Canary, Carnival, Carousel, Casino, Circus, City Lights, Confetti, Dino, Fern, Galaxy, Glacier, Granite, Graphite, Gunmetal, Hazelnut, Ice, Icicles, Jet, Jet Blue, Jet Egg, Jet Gray, Jet Red, Lead Grey, Macadamia, Marble, Night Sky, Odyssey, Pecan, Peppers, Pewter, Pin Ball, Poppy, Prairie, Sandy Beach, Sasquatch, Smoke, Snow Drift, Star Light, Tangerine, Twilight, Velocity, Winter Sky